

Document No.	UKNEQAS-F-082	Version No. Issue date	3.0 06/10/2016
--------------	---------------	---------------------------	-------------------

UK NEQAS

Molecular Genetics

UK NEQAS [Edinburgh]

www.ukneqas-molgen.org.uk

Director: Dr Sandi Deans

Individual Laboratory Score Report

EQA: **GIST (geno)** Year: **2016**

Lab Reference Number: **409**

CLINICAL CASE 1 - Matthew PARSONS (dob 24/05/1958)		
Category	Score	Comments
Genotyping	2.00	KIT result correct. (-0 marks) PDGFRA result correct. (-0 marks) Results correct within the limitations of the test performed. It is recommended to increase your testing repertoire to include more mutations which can be detected in GISTs.
Interpretation	--	Interpretation correct.
Clerical accuracy	2.00	No clerical errors. (-0 marks)

CLINICAL CASE 2 - Angela EVANS (dob 13/07/1960)		
Category	Score	Comments
Genotyping	2.00	KIT result correct. (-0 marks) PDGFRA result correct. (-0 marks) Results correct within the limitations of the test performed. It is recommended to increase your testing repertoire to include more mutations which can be detected in GISTs.
Interpretation	--	Not marked.
Clerical accuracy	2.00	No clerical errors. (-0 marks)

CLINICAL CASE 3 - Susan MARTIN (dob 29/10 /1953)		
Category	Score	Comments
Genotyping	2.00	KIT result correct. (-0 marks) PDGFRA result correct. (-0 marks) Results correct within the limitations of the test performed. It is recommended to increase your testing repertoire to include more mutations which can be detected in GISTs.
Interpretation	--	Not marked.
Clerical accuracy	2.00	No clerical errors. (-0 marks)

UK NEQAS for Molecular Genetics, Department of Laboratory Medicine,
Royal Infirmary of Edinburgh, 51 Little France Crescent, Edinburgh EH16 4SA, UK

Scheme email: info@ukneqas-molgen.org.uk

Scheme telephone: +44 (0)131 242 6898 Scheme fax: +44 (0)131 242 6882

Accredited EQA Scheme

UK NATIONAL EXTERNAL QUALITY ASSESSMENT SERVICES

These EQAs are provided by NHS Lothian operating UK NEQAS [Edinburgh]

CONFIDENTIAL - Copyright © UK NEQAS [Edinburgh]

Document No.	UKNEQAS-F-082	Version No. Issue date	3.0 06/10/2016
--------------	---------------	---------------------------	-------------------

UK NEQAS

Molecular Genetics

UK NEQAS [Edinburgh]

www.ukneqas-molgen.org.uk

Director: Dr Sandi Deans

MEAN OVERALL SCORES	
Category	Score
Genotyping	2.00
Interpretation	Not marked
Clerical accuracy	2.00

CONFIDENTIAL - Copyright © UK NEQAS [Edinburgh]